


# Aurora



## PIR Motion Sensor

Don't be fooled by its small size! Next-generation Split-Zone Optics and advanced ASIC-based processing give the pet immune Aurora laser-sharp detection.

## FEATURES

- Immune to pets up to 40 lbs.
- Advanced ASIC-based processing
- Split-Zone Optics technology
- Ultra-low current
- Totally silent relay operation
- Tamper proof design

## SPECIFICATIONS

### Detection Method

- Dual Element Passive Infrared

### Coverage

- Pet Immune Lens: 35' x 45' (10.6m x 13.7m)
- Long Range Lens: 75' x 10' (23m x 3m) (Optional part number Aurora-LR)

### Detection Zones

- Pet Immune Lens: 28 zones (eight over eight long range, eight intermediate, four short range)
- Long Range Lens: six zones (one over one long range, two intermediate, two short range)

### Pulse Processing

- Intermediate, Standard or Harsh, selectable via jumper link

### Temp. Compensation

- Advanced dual-slope temperature compensation adjusts for ambient both above and below body temperature

### Detectable Walk Rate

- 0.5-10ft/sec (.15-3m/sec)

### Tamper proof design

- Alarm relay cannot be compromised with a magnet

### Mounting Height

- 7ft. (2.1m) recommended for pet installations

### Indicator

- Red LED, enabled/disabled via jumper link

### Alarm Relay

- Form A, 28VDC, 90mA max. with 15-ohm protective resistor

### Input Voltage


- 9-14 VDC -Aurora and Aurora-T (Voltage reversal makes PIR inoperative)

### Current

- 4 mA (standby, Aurora & Aurora-T only)
- 4 mA nom. (alarm, LED disabled)
- 10 mA nom. (alarm, LED enabled) (All current nominal at 12 VDC)

### Operating Temp

- 14°F to 122°F (-10°C to +50°C)




Long Range Lens coverage pattern

### Operating Humidity

- Up to 95% RH (max.), non-condensing

### Dimensions

- 2.9"W x 4.1"H x 1.5"D (max protrusion) (60mm x 104m x 38m)



Pet Immune Lens coverage pattern

## ORDERING

<b>AURORA</b>	PIR Motion Sensor
<b>AURORA-T</b>	Aurora with Tamper
<b>AURORA-L</b>	Aurora with Long Range Lens

### Honeywell Security & Custom Electronics

PO Box 9035, Syosset, NY 11791

[www.security.honeywell.com/sce](http://www.security.honeywell.com/sce)